

---

Subject: : Unsatisfactory Software

Topic: : Anyone use WebDAV and want to test new handler?

Re: Anyone use WebDAV and want to test new handler?

Author: : Mlehto

Date: : 2013/3/28 14:59:12

URL:

My setup is, that dav0: is CLOUD:

Icons refreshing and other features

In CLOUD: root level icons refresh only, when dav0: is mounted. If one adds drawers to root, they appears after remounting. Icons without icon doesnt appear to root level at all, however.

In sub-drawers icons appear after drawer close/open. With or without icon.

Directory structure

Let say, that I have path CLOUD:test. Drawer test may or may not have contents.

When in shell I get dir/list from CLOUD:test , there is again drawer named test, inside test.

I can make it from outside of CLOUD:test like dir CLOUD:test or inside trest drawer, all the same.

That is ghost drawer, cannot enter in it.

Allso, when I enter inside CLOUD:test, prompt is CLOUD:test/test>

If I decide to delete contents of test inside CLOUD:test with del #?, it deletes all contents of CLOUD:

Should delete only contets of CLOUD:test, where delete-command is executed.

If I dismount CLOUD: from shell and Im outside of CLOUD, everything goes well. dismount dav0: executes fine.

If Im inside CLOUD and I dismount CLOUD: , I drop myself to INTEREO: . That can be OS bug allso. I dont have any idea, what is INTEREO: , at least it is not any volume/disk mounted/assigned.

Download-speed is just fine, upload is disaster. I may have some problems internet connection upstream.